

VENT FREE GAS LOGS



 Monessen

WARM WELCOME

Nothing invites or delights like the dancing flames of a fire. For thousands of years fire has been the focal point of hearth and home and, like so many families before, we invite you to sit by ours and enjoy their warmth and beauty.




EYF-R Mountain Oak refractory cement



Universal andirons



EYF-F Charred Hickory fiber ceramic



DEB Ember Blaze Aged Hickory fiber ceramic



BO-R Berkley Oak refractory cement



BO-F Berkley Oak fiber ceramic

VENT FREE GAS LOGS

Like our vented gas logs, the vent free gas logs from Monessen offer the realistic look of a wood fire but without the hassle.

Available in a variety of styles, the flexibility of the vent free gas logs from Monessen means that you can install them in any existing firebox without the need for venting - making them a terrific choice for just about any room in your home. A safe and simple alternative to vented fireplace solutions, vent free gas logs from Monessen give you the opportunity to include the ambiance and warmth of fire with the ease of flexible installation.



NBST27 Natural Blaze See-Thru fiber ceramic



CTCL Charred Timber fiber ceramic



KSCL Ember Bed Kentucky Stack fiber ceramic

Optional Accessories



See our Ambient Technologies® catalog for a complete line of remotes and thermostats.



Flat black adjustable hood (28" - 48")



Brass adjustable hood (28" - 48")



Log switch with 12" wire



Ember remote receiver cover



Metal insulated remote receiver cover



Cinders



Decorative fiber ember kit




Decorative grate + Decorative andirons



Vent Free Gas Logs

Model	Fuel Type	Front A	Minimum Depth B	Hearth Area Back C	Height D	BTU/H Manual Control	BTU/H Millivolt Control	Approx. Heating Area (sq. ft.)
VENT FREE GAS LOGS								
DEB20	NG	27"	13 1/4"	18"	17"	18,000-28,000	18,000-28,000	950
DEB20	LP	27"	13 1/4"	18"	17"	18,000-28,000	20,000-28,000	950
DEB24	NG	28 1/2"	13 1/4"	22 1/4"	17"	20,000-38,000	25,000-38,000	1,300
DEB24	LP	28 1/2"	13 1/4"	22 1/4"	17"	20,000-38,000	30,000-38,000	1,300
DEB30	NG	32 1/2"	13 1/4"	25 1/2"	17"	20,000-38,000	25,000-38,000	1,300
DEB30	LP	32 1/2"	13 1/4"	25 1/2"	17"	20,000-38,000	30,000-38,000	1,300
EYF18-R	NG	25"	13"	17 1/2"	17"	18,000-30,000	26,000-30,000	1,000
EYF18-R	LP	25"	13"	17 1/2"	17"	23,000-30,000	25,000-30,000	1,000
EYF24-R	NG	29"	13"	19 1/2"	17"	19,000-36,000	24,000-36,000	1,100
EYF24-R	LP	29"	13"	19 1/2"	17"	25,000-36,000	29,000-36,000	1,100
EYF24-F	NG	29"	13"	19 1/2"	17"	19,000-36,000	24,000-36,000	1,100
EYF24-F	LP	29"	13"	19 1/2"	17"	25,000-36,000	29,000-36,000	1,100
CTCL18	NG	26"	13"	18"	17"	-	19,000-28,000	950
CTCL18	LP	26"	13"	18"	17"	-	23,000-28,000	950
CTCL24	NG	29"	13"	22 1/4"	17"	-	24,000-36,000	1,300
CTCL24	LP	29"	13"	22 1/4"	17"	-	24,000-36,000	1,300
CTCL30	NG	33"	13"	25 1/4"	17"	-	24,000-36,000	1,300
CTCL30	LP	33"	13"	25 1/4"	17"	-	24,000-36,000	1,300
KSCL18	NG	27"	13 1/4"	18"	17"	-	18,000-28,000	950
KSCL18	LP	27"	13 1/4"	18"	17"	-	20,000-28,000	950
KSCL24	NG	29 1/2"	3 1/4"	22 1/4"	17"	-	24,000-36,000	1,200
KSCL24	LP	29 1/2"	3 1/4"	22 1/4"	17"	-	27,000-36,000	1,200
KSCL30	NG	34 1/2"	3 1/4"	25 1/2"	17"	-	24,000-36,000	1,200
KSCL30	LP	34 1/2"	3 1/4"	25 1/2"	17"	-	27,000-36,000	1,200
B018-R	NG	26"	13"	18"	17"	-	19,000-28,000	950
B018-R	LP	26"	13"	18"	17"	-	23,000-28,000	950
B024-R	NG	29"	13"	22 1/4"	17"	-	24,000-37,000	1300
B024-R	LP	29"	13"	22 1/4"	17"	-	26,000-36,000	1300
B030-R	NG	33"	13"	25 1/4"	17"	-	24,000-37,000	1300
B030-R	LP	33"	13"	25 1/4"	17"	-	26,000-36,000	1300
B018-F	NG	26"	13"	18"	17"	-	19,000-28,000	950
B018-F	LP	26"	13"	18"	17"	-	23,000-28,000	950
B024-F	NG	29"	13"	22 1/4"	17"	-	24,000-37,000	1300
B024-F	LP	29"	13"	22 1/4"	17"	-	26,000-36,000	1300
B030-F	NG	33"	13"	25 1/4"	17"	-	24,000-37,000	1300
B030-F	LP	33"	13"	25 1/4"	17"	-	26,000-36,000	1300
NBST27	NG	32"	21"	-	21 1/2"	-	24,000-38,000	-
NBST27	LP	32"	21"	-	21 1/2"	-	31,000-37,000	-



A Brand of Monessen Hearth Systems Co.
149 Cleveland Drive, Paris, Kentucky 40361

www.monessenhearth.com

Your Monessen Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2008 Monessen Hearth Systems Co.

Ver.03 MON8008